

FACILITY AGREEMENT

For OFF-CAMPUS CLINICAL INSTRUCTION SITES

Name of Facility: _____

Address: _____
Street State ZIP

To be approved as acceptable clinical instruction sites, veterinary care facilities must meet certain minimum standards regarding hospital staff, equipment, and practice quality. The following pages list the requirements necessary for approval. These minimum standards must be met in order to assure that students receive adequate exposure to quality veterinary medical practices and equipment.

Veterinary care facilities may be approved as acceptable for courses relating to companion animals, food and farm animals, or both. **Please indicate below the approval you are requesting:**

- Companion animal veterinary care facility

Verification pictures are required for ALL Food/Farm Animal Location Approval requests. See page 4 of the Facilities Agreement for details.

- Food and farm animal veterinary care facility
 Both companion and food/farm animal veterinary care facility

I certify that the above named veterinary care facility has the equipment that I have verified by completing and submitting the Required Equipment Checklist. I also certify that the equipment and materials will be made available to VTDL P students for use in completion of assigned coursework while participating in this program.

Printed Name of Facility Veterinarian, Owner or Agent

Signature

Date

OCCI facilities are approved in perpetuity unless there are significant changes in the physical structure of the facility, such as a relocation, a fire, etc. If there are significant changes, please notify the VTDL P staff.

Facility Name: _____

REQUIRED EQUIPMENT CHECKLIST

The following equipment items must be present at all clinical instruction sites and available for use by the VTDLP student. A clinic must have at least 75% of the following equipment to be approved as a clinical instruction site. Items in bold **MUST** be present for approval. Items followed by an asterisk are optional but desirable.

Anesthesia equipment

- Anesthetic machine**
 - Inhalant anesthetic agent(s) available
 - Halothane
 - Isoflurane**
 - Sevoflurane
 - Other _____
 - Non-rebreathing system**
- Endotracheal tubes**
- Waste gas scavenging system present**

Surgical Instrumentation, related equipment, and supplies

- Autoclave**
- Autoclave indicator tape or other verification method**
- Basic surgical instruments (spay pack, etc.)**
- Controlled drug cabinet**
- Defibrillator*
- Electrosurgical equipment*
- Electric clippers**
- Emergency Crash kit with drugs and materials for emergency intervention**
- Endotracheal tubes**
- Gas Sterilizer
- Orthopedic equipment**
- Surgical table**
- Surgical lights**
- Surgical suction
- Ventilator
- Warm water blanket or other hypothermia prevention device**

Monitoring equipment

- Blood pressure monitoring equipment** please specify type: _____
- Cardiac Monitor** please specify type: _____
- Electrocardiograph please specify type: _____
- Esophageal stethoscope**
- Pulse oximeter* or capnograph**
- Other monitoring device(s) please specify type: _____

Dentistry

- Dental instruments**
 - Dental polisher**
 - Oral speculum – small animal
 - Ultrasonic scaler**

Facility Name: _____

Examination and Treatment Equipment

- Animal gurney or stretcher
- Bandaging and splinting supplies**
- Bathing equipment**
- Cages complying with federal regulations**
- Examination table**
- Fiberoptic endoscope
- Ophthalmoscope**
- Oral dosing equipment – small and lab animal**
- Otoscope**
- Scales**
- Stethoscope**
- Syringes and disposable needles**
- Tonometer**
- Tourniquet**
- Tubes – feeding and gavage**
- Vaginal Speculum**

Radiology Equipment

- Aprons and gloves, lead lined**
- Automatic film processor**
- Calipers**
- Cassette holders**
- Digital film processor
- Film**
- Film identification markers**
- Hand dark room an developing equipment
- High speed/rare earth screens**
- Lead eyeglasses**
- Lead thyroid collars**
- Radiation safety badges**
- Storage racks for gloves and aprons**
- X-ray machine - fixed**
- X-ray machine - portable**
- X-ray viewer**

Laboratory equipment

- Automated analyzer
- Automated dilutor
- Blood mixer/rocker**
- Centrifuge**
- Microhematocrit centrifuge**
- Clinical chemistry analyzer**
- Differential blood cell counter (e.g. QBC autoreader)**
- Electronic blood cell counter***
- Hand tally cell counter**
- Hemacytometer**
- Incubator**
- Microhematocrit centrifuge**
- Microscope**
- Refractometer**
- Scales, laboratory**

Facility Name: _____

Other essential equipment

- Elizabethan collars
- Muzzles (nylon, leather, etc.)
- Nail trimmers
- Restraint equipment – rabbit, rodent
- Restraint pole

Additional Equipment Required for Food and Farm Animal Locations

The following equipment must be present or available at sites wishing to be approved for food and farm animal clinical training.

Verification pictures of the following facilities and equipment are required For ALL Food/Farm Animal Location approval requests.

- Cattle chute
- Dehorner
- Dental Instruments – large animal – dental floats
- Emasculators
- Equine stocks*
- Hog snare
- Hoof trimmers and picks
- Nose tongs
- Ropes for restraint
- Stomach tubes
- Obstetric equipment
- Oral speculum – large animal please specify type: _____
- Oral dosing equipment please specify type: _____
- Twitch